

\$210,000 - 400 Irma Drive, Austin

MLS® #7251130

\$210,000

3 Bedroom, 2.00 Bathroom, 1,200 sqft
Residential on 0 Acres

Sherry Dale, Austin, TX

House is being sold with 402 Irma - please see
MLS # 9971733 - a duplex - value is in the
land. Great opportunity for builder. Walking
distance to light rail. 402 is occupied, 400 is
vacant.FEMA - Unknown



Built in 1956

Essential Information

MLS® #	7251130
Price	\$210,000
Bedrooms	3
Bathrooms	2.00
Full Baths	1
Half Baths	1
Square Footage	1,200
Acres	0.17
Year Built	1956
Type	Residential
Sub-Type	Single Family Residence
Status	Closed

Community Information

Address	400 Irma Drive
Subdivision	Sherry Dale
City	Austin
County	Travis
State	TX
Zip Code	78752

Amenities

Utilities	Electricity Available, Natural Gas Available
Features	None
Parking	Carport
View	None
Waterfront	None

Interior

Interior	Carpet, Laminate, Tile
Appliances	Free-Standing Range, Microwave
Heating	Electric, Natural Gas
Cooling	Central Air
Fireplaces	None
# of Stories	1
Stories	One

Exterior

Exterior Features	No Exterior Steps
Lot Description	Interior Lot, Trees Medium Size
Roof	Composition
Construction	Masonry
Foundation	Slab

School Information

District	Austin ISD
Elementary	Reilly
Middle	Lamar (Austin ISD)
High	McCallum

Listing Details

Listing Office	Realty Austin
----------------	---------------

Property Listed by: Realty AustinThe information being provided is for consumers' personal, non-commercial use and may not be used for any purpose other than to identify prospective properties consumers may be interested in purchasing. Based on information from the Austin Board of REALTORS® (alternatively, from ACTRIS) from April 28th, 2024 at 11:02am CDT. Neither the Board nor ACTRIS guarantees or is in any way responsible for its accuracy. The Austin Board of REALTORS®, ACTRIS and their affiliates provide the MLS and all content therein "AS IS" and without any warranty, express or implied. Data maintained by the Board or ACTRIS may not reflect all real estate activity in the market. All information provided is deemed reliable but is not guaranteed and should be independently verified.